

### **Abstract of the Disclosure**

Methods for the production of silicon nitride films by vapor-phase growth. A hydrazine gas and at least one precursor gas are fed into a reaction chamber containing a substrate. The precursor gas is either a trisilylamine gas or a silylhydrazine gas. A silicone nitride film is formed through the reaction of the hydrazine gas and the precursor gas.